SMARTCARD PROGRAMMER FOR PIC MICROCHIP AND AVR ATMEL ON USB PORT





CAR-06



Introduction:

The CAR-06 is a programmer supporting all types of PIC and Atmel based smartcards (Goldcards, Silvercards 2 to 4, Jupitercards, Funcards 2 to 7, ATmegacards, etc...). It connects to the USB port of your PC and does not require any external power supply. Equipped with a RISC processor with a clock speed of 24MHz, it offers high-speed programming in one pass. The supplied software allows to auto-detect the used smartcard as well as to edit the processor registers of the smartcards. It operates with Windows 98/ME/2000/XP/VISTA/Win7 (32bits).

Devices list supported by programmer CAR-06 : - Wafercard (16C84, 16F84, 16F84A) - Fe- Goldcard (16F84/16F84A + 24C16) - Fe-

- Silvercard (16F876/16F877 + 24C64)
- Greencard (16F876/16F877 + 24C128) Greencard2 (16F876/16F877 + 24C128) Greencard2 (16F876/16F877+24C256) Bluecard (16F84A + 24C64) Emeraldcard (16F628 + 24C64) Canarycard (16F628 + 24C16)

- Singlepic (16F876, 16F627, 16F628) Jupitercard (AT90S2343 + 24C16)
- Jupitercard2 (AT90S8535 + 24C64)

- Funcard ATmega161 (ATmega161 + 24C64) Funcard ATmega163 (ATmega163 + 24C256) BlackCard (ATmega128 + 24C256) Funcard ATmega8515 (ATmega8515 + 24C256)
- Funcard/Funcard2 (AT90S8515 + 24C64)

- Funcard3/Prussiancard (AT90S8515 + 24C128)
 Funcard4/Prussiancard2 (AT90S8515 + 24C128)
 Funcard5/Prussiancard3 (AT90S8515 + 24C512)
 Funcard6/Prussiancard4 (AT90S8515 + 24C1024)
 Funcard7/Prussiancard5 (AT90S8515 + 2 x 24C1024)
- Dragon Loader Card (AVR) / dragon Loader Card (PIC)

Hardware & Electrical specifications:

Dimensions board: 90 x 76 x 15mm, Weight: 45g Dimensions package: 190 x 115 x 35mm, Weight: 175q

Not require any external power supply.

Item includes:

Programmer with ISO7816 socket high quality ITT-CANNON.

An USB cable (A-B type).

Software on CD-ROM, (in several languages).

User manual in English and French.

Products informations: www.seeit.fr